Help Logout



Document Number 19

Entry 19 of 22

File: EPAB

Jun 23, 1998

PUB-NO: US005769718A

DOCUMENT-IDENTIFIER: US 5769718 A

TITLE: Video game apparatus and medium readable by a computer stored with video

game program

PUBN-DATE: June 23, 1998

INVENTOR - INFORMATION:

NAME COUNTRY

RIEDER, WILLIAM R US


APPL-NO: US64841896 APPL-DATE: May 15, 1996

PRIORITY-DATA: US64841896A (May 15, 1996)


INT-CL (IPC): G09 G 3/00

ABSTRACT:

A game executing unit 31 instructs a player character's image data generating unit 32 to display a display position of a player character. A background's image data generating unit 37 generates background's image data for displaying a background's image of a game space consisting of a floor and walls as a bird's-eye view: A player character's position specifying unit 34 checks whether the display position of the player character is hidden behind the wall or the floor in the background's image of the game space. An image synthesizing unit 38 synthesizes the image data of the player character with the background image of the game space. When the player character position specifying unit 34 determines that the display position of the player character is hidden behind the wall or the floor, the image synthesizing unit 38 modifies the image data so that the wall or the floor concealing the player character is made semitransparent and the rear thereof is displayed.



Freeform Search



Search Clear		Help	Lo	Logout	
Main Menu	ShowSl	Numbers	Edit S Nu	ımbers	

Search History

DB Name	Query	Hit Count S	Set Name
ALL	display\$ adj10((obstruct\$ or obscure\$ or hid\$) adj5 (wall\$1 or obstacle\$1))	22	<u>L2</u>
JPAB,EPAB,DWPI	display\$ adj10((obstruct\$ or obscure\$ or hid\$) adj5 (wall\$1 or obstacle\$1))	4	<u>L1</u>

HOME II SEARCH II ADVANCED SEARCH II WHAT'S NEW II HELP II LOGOUT

(obstructed or obscured or hidden) and (wall or obs Refine

Collection: ☑ Journals ☑ Conferences ☑ Standards

Your search matched 88 of 549999 documents.

13 are presented on this page, sorted by Score in descending order.

DOC TYP	PE VIEW ISSUE	VIEW FULL PAGE	VIEW CITATION
CNF			Visualization of cardiac magnetic resonance images with color encoded 2D and 3D functional images Andrews, L.T.; Klingler, J.W.; Begeman, M.S.; Zeiss, J.; Leighton, R.F. Visualization in Biomedical Computing, 1990., Proceedings of the First Conference on , 1990, Page(s): 172 -178
CNF		7 ~	Visual reply to map-related queries-a free space graph approach Holmes, P.D. Visual Languages, 1989., IEEE Workshop on, 1989, Page(s): 92-98
CNF	TOG - Annual - Marie - Mari	Z	Finitary substructure languages with application to the theory of NP-completeness Regan, K.W. Structure in Complexity Theory Conference, 1989. Proceedings., Fourth Annual, 1989, Page(s): 87-96
PER	TOTAL STATE OF THE	233 J ro	Statistical modelling and computer simulation of indoor radio channel Ganesh, R.; Pahlavan, K. Communications, Speech and Vision, IEE Proceedings I Volume: 138 3, June 1991, Page(s): 153-161
PER	Nyme Nyme - India	200	Modelling and measurements of the diffraction of microwaves by buildings Haslett, C.J. Microwaves, Antennas and Propagation, IEE Proceedings - Volume: 141 5, Oct. 1994, Page(s): 397-401
PER	<u> </u>	*	Automatic data structure selection and transformation for sparse matrix computations Bik, A.J.C.; Wijshoff, H.A.G. Parallel and Distributed Systems, IEEE Transactions on Volume: 7 2, Feb. 1996, Page(s): 109-126
PER			SBR image approach for radio wave propagation in tunnels with and without traffic Shin-Hon Chen; Shyh-Kang Jeng Vehicular Technology, IEEE Transactions on

			Volume: 45 3, Aug. 1996, Page(s): 570 -578
PER	102	2	Sector antenna and DFE modems for high speed indoor radio communications
			Ganning Yang; Pahlavan, K.; Holt, T.J. Vehicular Technology, IEEE Transactions on
			Volume: 43 4, Nov. 1994, Page(s): 925 -933
PER			Effect of nonlinear transformations on correlation between weighted sums in multilayer perceptrons Sang-Hoon Oh; Youngjik Lee
			Neural Networks, IEEE Transactions on
			Volume: 5 3, May 1994, Page(s): 508-510
PER			MDR for law enforcement [motion detector radar] Frazier, L.M. IEEE Potentials Volume: 16 5, Dec. 1997-Jan. 1998, Page(s): 23 -26
PER	TOE	23 3	Behavior of the ocean radar cross-section at low incidence,
		33	observed in the vicinity of the Gulf Stream
			Hauser, D.; Caudal, G.; Shay, L.K.
			Geoscience and Remote Sensing, IEEE Transactions on Volume: 33 1, Jan. 1995, Page(s): 162-171
PER		7	Spherical wave blockage in reflector antennas Toccafondi, A.; Romani, B.; Mizzoni, R.; Maci, M.S.; Tiberio, R.
			Antennas and Propagation, IEEE Transactions on Volume: 45 5, May 1997, Page(s): 851-857
PER	TOC.		Millimeter-wave propagation at street level in an urban environment Violette, E.J.; Espeland, R.H.; DeBolt, R.O.; Schwering, F.K. Geoscience and Remote Sensing, IEEE Transactions on Volume: 26 3, May 1988, Page(s): 368-380

[Prev] 1 2 3 4

| <u>IEL Online Home</u> | <u>Search</u> | <u>Advanced Search</u> | <u>What's New</u> | <u>Help</u> | <u>Logout</u> | | <u>FAQ's</u> | <u>Support</u> | <u>Comments</u> |

Copyright 1999 Institute of Electrical and Electronics Engineers. All rights reserved.

Help Logout



Document Number 1

Entry 1 of 4

File: EPAB

Jun 23, 1998

DOCUMENT-IDENTIFIER: US 5769718 A

TITLE: Video game apparatus and medium readable by a computer stored with

video game program

FPAR:

A game executing unit 31 instructs a player character's image data generating unit 32 to display a display position of a player character. A background's image data generating unit 37 generates background's image data for displaying a background's image of a game space consisting of a floor and walls as a bird's-eye view: A player character's position specifying unit 34 checks whether the display position of the player character is hidden behind the wall or the floor in the background's image of the game space. An image synthesizing unit 38 synthesizes the image data of the player character with the background image of the game space. When the player character position specifying unit 34 determines that the display position of the player character is hidden behind the wall or the floor, the image synthesizing unit 38 modifies the image data so that the wall or the floor concealing the player character is made semitransparent and the rear thereof is displayed.

Main Menu	Search Form	Result Set	ShowSi	lumbers	Edit S Num	pers
First Hit Previ		Previous D	ocument		Next Doc	ument
Full Title (itation Front	Review Cla	ssification	Date Re	ference Clain	ns KWMC
		Help	Logou			

```
=> s display? (10a) ((obstruct? or obscure? or hid?) (5a) (wall# or obstacle#))

313992 DISPLAY?
79069 OBSTRUCT?
23891 OBSCURE?
46513 HID?
814309 WALL#
33178 OBSTACLE#
L4 32 DISPLAY? (10A) ((OBSTRUCT? OR OBSCURE? OR HID?) (5A) (WALL# OR
```

Help Logout

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers

Search Results -

Terms	Documents
((display\$ or generat?) adj10 (hidden or obscured or overlap\$))and ((view point) or (point adj2 view) or (visual point))	297

Database: Derwent World Patents Index

Refine Search:

((display\$ or generat?) adj10 (hidden or obscured or overlap\$))and ((view point) or (point adj2 view) or (visual point))

Search History

DB Name	Query	Hit Count	Set Name
DWPI	((display\$ or generat?) adj10 (hidden or obscured or overlap\$))and ((view point) or (point adj2 view) or (visual point))	297	<u>L2</u>
DWPI	(hidden or obscured or overlap*)and ((view point) or (point "of" view) or (visual point))	1551	<u>L1</u>